


C-19 PRO

INFRARED THERMOMETER A TRUE CONTACTLESS WIRELESS SOLUTION



DISADVANTAGES OF TRADITIONAL THERMOMETER



Slow temperature reading,
low efficiency



Mercury thermometer
is contagious and not safe



Traditional thermometer
is not fully functional



Inaccurate temperature
measurement without
certification

ADVANTAGES OF INTELLIGENT THERMOMETER



SPEED

0.1s Quick measurement
non-contact, avoid cross infection



ACCURACY

High accuracy: ± 0.2 degrees



WARNING

High temperature alarm
Fever temperature: Red light flash
with sound alarm



ENERGY SAVING

One week standby
designed for long term use



DATA MANAGEMENT & ANALYTICS

WHAT MAKES

C19 PRO

A UNIQUE AND SUPERIOR
INFRARED THERMOMETER?

- ✓ TRUE CONTACTLESS WIRELESS CONNECTIVITY
- ✓ EASY AND USER-FRIENDLY INTERFACE FOR DATA ANALYTICS
- ✓ HISTORICAL DATA STORAGE
- ✓ ONE GLANCE TOTAL COUNT OF NORMAL /SLIGHT / HIGH FEVER TEMPERATURE



- ✓ SDK FOR INTEGRATION WITH AMS AND VMS APPLICATIONS

AVOID CHAOS AND INSTALL A FAST MEASURING TEMPERATURE SENSOR



APPLICATIONS

COROPORATE OFFICES
PUBLIC TRANSPORT
MALLS

(bus station/metro/railways/airports)

GOVT OFFICES
EDUCATION INSTITUTES

EASY INSTALLATION METHOD



FIXED – WALL MOUNT




PORTABLE – TRIPOD/STAND

SPECIFICATION

Industrial Grade
Temperature Sensor




Hanging Hole



Double-Sided
Adhesive Area

Bright led indicator
with audio alarm



Large Display



TECHNICAL DATA

Accuracy	±0.2 degrees	Response time	0.5s
Abnormal automatic alarm	Flashing plus fever alarm	Charging method	USB charging or battery
Automatic measurement	measuring distance 5cm ~ 10cm	Input	USB DC 5V
Connectivity	Wireless	Weight	350g
Install method	nail hook, double-sided adhesive sticking, bracket fixing	Dimensions	170*115*140mm
Operating temperature	10 C~40 C (Recommend 15 C~35 C)	Infrared measuring range	0~50 C
Standby	5s (Red dot dynamic cycle)	Screen	Digital display

**UNDER COVID 19 WORKFORE SAFETY
GUIDELINES, INSTALL INFRARED
TEMPERATURE MONITOR TODAY!**



ORDER NOW

Call/Whatsapp: +91-7290088651/52

Email: info@oseltech.in

Website: www.oseltech.com

